

NJLINCS Health Alert Network
Public Health Info

Distributed by the New Jersey Department of Health

Subject: Food Recalls
Date: 6/29/2018; 15:43:15

Please review the following message from Alan Talarsky, Environmental Scientist 1, Public Health and Food Protection Program, NJDOH regarding the following Class 1 Recalls issued by the U.S. Food and Drug Administration and the U.S. Department of Agriculture:

1. Pinnacle Foods Inc. is voluntarily recalling a limited quantity of Wish Bone House Italian Salad Dressing 15 oz. with the health and safety of our consumers as our top priority. The recall was initiated after learning from a retail customer that a limited number of bottles were mislabeled. The product contains milk and egg, known allergens not declared on the bottle. People who have an allergy or severe sensitivity to milk or egg may run the risk of a serious or life-threatening allergic reaction if they consume this product. If you are not allergic to milk or egg, this product is safe to eat. No illnesses have been reported to date. The Food and Drug Administration has been made aware of this recall.

No illnesses have been reported to date.

The product was produced on March 19, 2018. In total, 7,768 cases of Wish-Bone House Italian Salad Dressing in 15 oz. bottles, distributed nationwide, are involved in the recall. The "Best If Used By" date can be found on the neck label of the bottle. No other Wish-Bone products are included in this recall. Specific details of the product being recalled are outlined below.

All affected distributors and retail customers, as well as the Food Allergy & Anaphylaxis Network (FAAN), are being notified and the affected product is being removed from store shelves.

The recalled items can be identified by a "Best If Used By" date printed on the neck wrapper. Only products with a "Best If Used By" date of Jan 13 19 and with labeling that matches both the front and back labels attached in the press release are subject to recall.

FLAVOR

CASE LOT
CODE

ITEM NUMBER #

Best if Used By Date
(found on neck label of bottle)

Wish Bone House Italian 6/15 oz. 4913019S51 004132100648 Jan 13 19

There is no impact on any other Italian varieties and no other products produced by Pinnacle Foods are affected by this recall.

Consumers should not consume these products. Affected product may be returned to the place of purchase for a full refund. Consumers with questions may contact Pinnacle Foods at 1-888-299-7646. Hours: Daily between 9 a.m. and 5 p.m. Eastern Time.

2. LL's Magnetic Clay, Inc. of Austin, Texas is recalling certain lots of Prescript-Assist, a dietary supplement it marketed until late 2017, because of its potential to contain undeclared allergens, including almonds, crustaceans, dairy, casein, eggs, and peanuts. People who have an allergy or severe sensitivity to these specific types of allergens run the risk of serious or life-threatening allergic reaction if they consume these products.

Prescript-Assist dietary supplement was distributed nationwide, including through online sales on the LL's Magnetic Clay website and brick and mortar retailers. The Prescript-Assist product is available through distributors other than LL's Magnetic Clay that purchased the product from the same source.

The impacted lots include Lots 1356300 (exp. 01/2019), 1405700 (exp. 03/2019), 17A128 (exp. 03/2021), and W00103 (exp. 06/2019). The lot numbers can be found printed either on the bottom of the bottle or on the label. The white bottles contain capsules in quantities of either 60 or 90 capsules per bottle. A representative label is included below.

No illnesses regarding these products have been reported to date.

The recall was initiated after potential cGMP failures in the supply chain were identified by LL's Magnetic Clay.

Consumers who have purchased Prescript Assist from LL's Magnetic Clay are urged to discontinue use and return it to LL's Magnetic Clay for a full refund. Consumers with questions may contact the company M-F, 9am-5pm at 1-800-257-3315.

3. Talking Rain® (the Company) is voluntarily recalling specific lot codes of bottles of its Sparkling Ice® Cherry Limeade beverage in response to a small number of customer

complaints that reported an off-taste and off-odor of the affected product. The Company made the decision to recall the product out of an abundance of caution. No other Sparkling Ice products are affected by this recall.

The Sparkling Ice Cherry Limeade product subject to recall was produced only at one of the Company's facilities that make this product. The product comes in a 17 ounce clear plastic bottle under the name Sparkling Ice Cherry Limeade. The product is sold as a single item, as well as in multipacks of the affected product and in multipacks containing a variety of other unaffected flavors. The product subject to recall can be identified by the following information that is displayed on the neck of the bottle. All other products made by the Company are not part of this voluntary recall.

Affected product labeling:

| Bottle Lot Code | Expiration Date on Bottle | Expiration Date | Bottle UPC | Case/Variety Pack UPCs |
|-----------------|---------------------------|-----------------|--------------|------------------------|
| 8064-63 | 120518 | 12/5/18 | 01657195084 | 016571950866 |
| 8065-63 | 120618 | 12/6/18 | 016571950927 | |
| 8079-63 | 122018 | 12/20/18 | 016571951283 | |
| 8080-63 | 122118 | 12/21/18 | 016571950866 | |
| 8087-63 | 122818 | 12/28/18 | 016571953126 | |
| 8088-63 | 122918 | 12/29/18 | 016571953614 | |
| 8089-63 | 123018 | 12/30/18 | | |
| 8112-63 | 012219 | 01/22/19 | | |
| 8113-63 | 012319 | 01/23/19 | | |
| 8114-63 | 012419 | 01/24/19 | | |
| 8118-63 | 012819 | 01/28/19 | | |
| 8119-63 | 012919 | 01/29/19 | | |
| 8126-63 | 020619 | 02/06/19 | | |
| 8131-63 | 021119 | 02/11/19 | | |
| 8132-63 | 021219 | 02/12/19 | | |
| 8144-63 | 022419 | 02/24/19 | | |
| 8145-63 | 022519 | 02/25/19 | | |
| 8146-63 | 022619 | 02/26/19 | | |
| 8165-63 | 031419 | 03/14/19 | | |
| 8166-63 | 031519 | 03/15/19 | | |
| 8167-63 | 031619 | 03/16/19 | | |

Talking Rain learned of the issue after a small number of customers brought their concerns to the company's attention. Talking Rain is currently investigating the cause of the issue in collaboration with the U.S. Food and Drug Administration (FDA).

Consumers who purchased the affected product are advised not to drink it and to call the Talking Rain customer center at 855-201-4333 to receive a coupon to replace their purchase.

No action is required of local health departments at this time for any of these recalls. If any requests for assistance are received from FDA, the Public Health and Food Protection Program will contact you. For additional information regarding warnings and recalls, please click on the weblink below.

For all recalls - <http://www.recalls.gov/recent.html>